

	Type	Ref #	Hits	Search Text
1	BRS	S1	1	10/811599
2	BRS	S2	1	S1 and (stem\$3 mount\$4 submount\$4 PD photo\$6 leads near14 (mount\$4 submount\$4))
3	BRS	S3	52182	tocan 'to' adj1 can transist\$4 adj2 can
4	BRS	S4	446785	(mount\$4 submount\$4 support\$4) same (pd\$1 photodetect\$4 photodiod\$2 detect\$4)
5	BRS	S6	1839	S3 and S4
6	BRS	S7	26422	(stem\$3 substrat\$4) same leads same electr\$6
7	BRS	S8	54399	(tocan 'to' adj1 can transist\$4 adj2 can 'can' mount\$ submount\$4) same (waveguide\$1 cpw)
8	BRS	S9	271026	(mount\$4 submount\$4) same (pd\$1 photodetect\$4 photodiod\$2 detect\$4)
9	BRS	S11	101129	(mount\$4 submount\$4) same (ld\$1 laser\$1 laserdiod\$2 emit\$4 near2 diod\$2)
10	BRS	S12	111	S7 and S8 and S9 and S10
11	BRS	S13	24632	S9 same S10
12	BRS	S14	98	S12 and S13
13	BRS	S15	98	S14 and waveguide\$1
14	BRS	S16	38	S15 and (sink\$3 heatsink\$3)
15	BRS	S17	52498	(stem\$3 substrat\$4) same ((leads wire\$2 conductors) near4 electr\$6)
16	BRS	S18	231	S17 and S8 and S9 and S10
17	BRS	S19	231	S18 and waveguide\$1
18	BRS	S20	77	S19 and (sink\$3 heatsink\$3)
19	BRS	S21	50	S20 not S16
20	BRS	S22	10	S21 and (submount\$4 sub adj1 mount\$4)

	DBs	Time Stamp
1	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 13:41
2	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 13:13
3	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 13:15
4	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 14:37
5	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 13:12
6	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 13:53
7	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 14:08
8	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 13:19
9	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 14:37
10	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 17:21
11	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 13:25
12	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 12:42
13	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 13:56
14	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 14:58
15	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 13:54
16	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 13:55
17	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 13:56
18	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 13:57
19	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 14:57
20	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 14:07

	Type	Ref #	Hits	Search Text
21	BRS	S23	50	S21 and (mount\$4)
22	BRS	S24	40	S21 not S22
23	BRS	S25	1	S24 and (tocan 'to' adj1 can transist\$4 adj2 can)
24	BRS	S26	24	S24 and (transist\$4)
25	BRS	S27	5	("4997243" "6536957" "20020057876" "20030151121" "6340831").pn.
26	BRS	S29	6	S27 S28
27	BRS	S31	0	S12 and S29
28	BRS	S30	2	S19 and S29
29	BRS	S32	1	S29 and transis\$4
30	BRS	S33	5	S29 and (pd\$1 photodetect\$4 photodiod\$2 detect\$4) same (ld\$1 laser\$1 laserdiod\$2 emit\$4 near2 diod\$2)
31	BRS	S34	1	S29 and (heatsink\$4 sink\$4 cool\$5)
32	BRS	S35	3	S29 and (heatsink\$4 sink\$4 cool\$5 heat\$5)
33	BRS	S36	1	S35 and waveguide\$1
34	BRS	S37	19480	"39" and waveguide\$1
35	BRS	S38	3	S29 and waveguide\$1
36	BRS	S40	8	("20030174454" "20050105911" "20050094949" "20040165840" "20030201462" "20030054558" "6164837" "5130531").pn.
37	BRS	S28	1	10/664690
38	BRS	S39	5	S29 and (pd\$1 photodetect\$4 photodiod\$2 detect\$4) and (ld\$1 laser\$1 laserdiod\$2 emit\$4 near2 diod\$2)
39	BRS	S41	13	S27 S40

	DBs	Time Stamp
21	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 14:08
22	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 14:08
23	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 14:10
24	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 14:26
25	US-PGPUB; USPAT	2006/01/13 14:33
26	US-PGPUB; USPAT	2006/01/13 14:35
27	US-PGPUB; USPAT	2006/01/13 14:35
28	US-PGPUB; USPAT	2006/01/13 14:35
29	US-PGPUB; USPAT	2006/01/13 14:35
30	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 14:54
31	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 14:39
32	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 14:49
33	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 14:49
34	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 14:49
35	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 14:49
36	US-PGPUB; USPAT	2006/01/13 15:02
37	US-PGPUB; USPAT	2006/01/13 15:00
38	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 15:51
39	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 15:39

	Type	Ref #	Hits	Search Text
40	BRS	S43	11	S41 and ((wir\$4 leads conductor\$1) same electric\$4)
41	BRS	S44	1	S1 and ((wir\$4 leads) near7 electric\$4 near7 (mount\$4 sub))
42	BRS	S45	1	S1 and ((wir\$4 lead\$2) same electric\$4 same (mount\$4 sub))
43	BRS	S46	6	("20040071411" "20030151121" "20020057876" "6536957" "6340831" "4997243").pn.
44	BRS	S47	14	S41 S46
45	BRS	S48	10	S47 and ((wir\$4 lead\$2) same electric\$4 same (mount\$4 sub))
46	BRS	S49	11	S47 and ((wir\$4 lead\$2) same electric\$4 same (mount\$4 submount\$4))
47	BRS	S50	10	S49 and (pd\$1 photodetect\$4 photodiod\$2 detect\$4) and (ld\$1 laser\$1 laserdiod\$2 emit\$4 near2 diod\$2)
48	BRS	S51	10	S49 and (pd\$1 photodetect\$4 photodiod\$2 detect\$4) near12 (ld\$1 laser\$1 laserdiod\$2 emit\$4 near2 diod\$2)
49	BRS	S52	1	S1 and tee\$3
50	BRS	S53	1	"4997243".pn.
51	BRS	S54	1	S53 and (pd\$1 photodetect\$4 photodiod\$2 detect\$4) same (led\$1 ld\$1 laser\$1 laserdiod\$2 emit\$4) and (stem\$4 mount\$4 wir\$4 lead\$1)
52	BRS	S55	1	S53 and (pd\$1 photodetect\$4 photodiod\$2 detect\$4) and (led\$1 ld\$1 laser\$1 laserdiod\$2 emit\$4) and (stem\$4 mount\$4 wir\$4 lead\$1)
53	BRS	S56	60	S15 not S16
54	BRS	S58	39	S56 and (pd\$1 photodetect\$4 photodiod\$2 detect\$4) near12 (led\$1 ld\$1 laser\$1 laserdiod\$2 emit\$4) and (wir\$4 leads lines) near7 elect\$5 same (submount\$4 mount\$5)

	DBs	Time Stamp
40	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 15:29
41	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 18:46
42	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 15:41
43	US-PGPUB; USPAT	2006/01/13 15:40
44	US-PGPUB; USPAT	2006/01/13 15:40
45	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 15:43
46	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 15:43
47	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 15:52
48	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 17:22
49	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 16:56
50	US-PGPUB; USPAT	2006/01/13 16:56
51	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 17:00
52	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 17:00
53	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 17:21
54	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 17:48

	Type	Ref #	Hits	Search Text
55	BRS	S59	39	S58 and (sink\$4 heatsink\$4 cool\$4 dissip\$5 waveguide\$1)
56	BRS	S60	39	S58 and (waveguide\$1)
57	BRS	S61	15	S60 and (sink\$4 heatsink\$4 cool\$4 dissip\$5)
58	BRS	S62	24	S60 not S61
59	BRS	S63	122	S18 and (pd\$1 photodetect\$4 photodiod\$2 detect\$4) near12 (led\$1 ld\$1 laser\$1 laserdiod\$2 emit\$4) and (wir\$4 leads lines) near7 elect\$5 same (submount\$4 mount\$5)
60	BRS	S64	56	S63 not (S26 S56 S21 S16)
61	BRS	S65	263066	stem
62	BRS	S67	4679	(pd\$1 photodetect\$4 photodiod\$2 detect\$4) near12 (led\$1 ld\$1 laser\$1 laserdiod\$2 emit\$4) and (wir\$4 leads pins) near7 electr\$4 same (submount\$4 mount\$5)
63	BRS	S68	31378	stem near12 (submount\$4 mount\$5)
64	BRS	S69	35866	S67 S68
65	BRS	S70	191	S67 and S68
66	BRS	S71	88	S70 and (pd\$1 photodetect\$4 photodiod\$2 detect\$4) near12 (led\$1 ld\$1 laser\$1 laserdiod\$2 emit\$4) near12 (submount\$4 mount\$5)
67	BRS	S72	30	S71 and ((wir\$4 lead\$1 pins) near7 electric\$4 near7 (mount\$4 sub))
68	BRS	S73	33	S71 and ((wir\$4 lead\$1 pins) near7 electric\$4 near7 (mount\$4 submount\$2))
69	BRS	S74	31	S73 not (S56 S26 S21 S16 S64)
70	BRS	S76	4685	(pd\$1 photodetect\$4 photodiod\$2 detect\$4) near12 (led\$1 ld\$1 laser\$1 laserdiod\$2 emit\$4) and (wir\$4 leads pins) near7 electr\$4 same (submount\$4 mount\$5)

	DBs	Time Stamp
55	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 17:28
56	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 17:28
57	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 17:33
58	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 17:33
59	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 18:41
60	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 18:40
61	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 18:41
62	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 18:45
63	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 18:44
64	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 18:44
65	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 12:43
66	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 18:45
67	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/13 18:47
68	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 10:40
69	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 13:07
70	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 10:40

	Type	Ref #	Hits	Search Text
71	BRS	S77	31399	stem near12 (submount\$4 mount\$5)
72	BRS	S78	192	S76 and S77
73	BRS	S79	89	S78 and (pd\$1 photodetect\$4 photodiode\$2 detect\$4) near12 (led\$1 ld\$1 laser\$1 laserdiode\$2 emit\$4) near12 (submount\$4 mount\$5)
74	BRS	S80	33	S79 and ((wir\$4 lead\$1 pins) near7 electric\$4 near7 (mount\$4 submount\$2))
75	BRS	S75	5	("20030165167" "20010026991" "6784464" "6562693" "6410904").pn.
76	BRS	S81	2	("20030165167" "6410904").pn.
77	BRS	S83	2	S81 and ((wir\$4 lead\$1 pin\$1) same electric\$4 near7 (mount\$4 submount\$2))
78	BRS	S84	2	S81 and ((wir\$4 lead\$1 pin\$1) near12 electric\$4) and (wir\$4 lead\$1 pin\$1) near12 (mount\$4 submount\$2)
79	BRS	S85	2	S81 and ((wir\$4 lead\$1 pin\$1) near12 (conduct\$4 electric\$4) near7 (mount\$4 submount\$2))
80	BRS	S86	2	S81 and (wir\$4 lead\$1 pin\$1 conduct\$4 electric\$4) near16 (mount\$4 submount\$2)
81	BRS	S87	0	S81 and (radio\$10 rf)
82	BRS	S88	193	S78 (tee bias near2 tee) near7 (submount sub adj1 mount) and (submount sub adj1 mount) near7 (laser ld)
83	BRS	S89	0	S78 and (tee bias near2 tee) near7 (submount sub adj1 mount) and (submount sub adj1 mount) near7 (laser ld)
84	BRS	S90	1	(tee bias near2 tee) near7 (submount sub adj1 mount) and (submount sub adj1 mount) near7 (laser ld)
85	BRS	S91	172	(tee bias near2 tee) near7 (radio rf)
86	BRS	S92	0	S78 and S91

	DBs	Time Stamp
71	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 10:40
72	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 10:40
73	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 10:40
74	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 11:01
75	US-PGPUB; USPAT	2006/01/17 11:00
76	US-PGPUB; USPAT	2006/01/17 11:00
77	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 11:03
78	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 11:23
79	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 11:20
80	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 11:23
81	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 12:37
82	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 12:40
83	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 12:40
84	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 12:40
85	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 12:55
86	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 12:42

	Type	Ref #	Hits	Search Text
87	BRS	S93	26442	(stem\$3 substrat\$4) same leads same electr\$6
88	BRS	S94	54505	(tocan 'to' adj1 can transist\$4 adj2 can 'can' mount\$ submount\$4) same (waveguide\$1 cpw)
89	BRS	S95	271568	(mount\$4 submount\$4) same (pd\$1 photodetect\$4 photodiod\$2 detect\$4)
90	BRS	S96	150165	(mount\$4 submount\$4 support\$4) same (ld\$1 laser\$1 laserdiod\$2 emit\$4 near2 diod\$2)
91	BRS	S97	111	S93 and S94 and S95 and S96
92	BRS	S98	24664	S95 same S96
93	BRS	S99	98	S97 and S98
94	BRS	S100	192	S76 and S77
95	BRS	S101	193	S88 and (S97 S100 S78)
96	BRS	S102	2	S91 and (S97 S100 S78)
97	BRS	S103	3730	(stem) same (ld\$1 laser\$1 laserdiod\$2 emit\$4 near2 diod\$2)
98	BRS	S104	1336	(stem) same (ld\$1 laser\$1 laserdiod\$2 emit\$4 near2 diod\$2) same (submount\$4 mount\$4)
99	BRS	S105	3	S91 and S104
100	BRS	S106	3	S91 and S103
101	BRS	S107	23220	(stem) and (ld\$1 laser\$1 laserdiod\$2 emit\$4 near2 diod\$2)
102	BRS	S108	3	S91 and S107
103	BRS	S109	1416	(su adj1 mount\$4 submount\$3) near7 (ld\$1 laser\$1 laserdiod\$2 emit\$4 near2 diod\$2)
104	BRS	S110	1	S91 and S109
105	BRS	S111	2366	(sub adj1 mount\$4 submount\$3) near7 (ld\$1 laser\$1 laserdiod\$2 emit\$4 near2 diod\$2)

	DBs	Time Stamp
87	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 12:42
88	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 12:42
89	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 12:42
90	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 12:47
91	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 12:42
92	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 12:42
93	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 12:42
94	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 12:43
95	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 12:45
96	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 12:45
97	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 12:55
98	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 12:48
99	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 12:48
100	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 12:48
101	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 12:49
102	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 12:49
103	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 12:50
104	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 12:50
105	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 12:50

	Type	Ref #	Hits	Search Text
106	BRS	S112	4	S91 and S111
107	BRS	S113	10	(tee bias near2 tee) near9 (radio rf) near12 (ld\$1 laser\$1 laserdiod\$2 emit\$4 near2 diod\$2)
108	BRS	S114	0	S81 and (radio rf)
109	BRS	S115	0	S114 and (waveguide\$1)
110	BRS	S116	0	S114 and (waveguide\$1 guid\$4 fiber\$1 fibre\$1)
111	BRS	S117	2	S81 and (waveguide\$1 guid\$4 fiber\$1 fibre\$1)
112	BRS	S118	98	S97 and S98
113	BRS	S119	98	S118 and waveguide\$1
114	BRS	S120	38	S119 and (sink\$3 heatsink\$3)
115	BRS	S121	52566	(stem\$3 substrat\$4) same ((leads wire\$2 conductors) near4 electr\$6)
116	BRS	S122	231	S121 and S94 and S95 and S96
117	BRS	S123	231	S122 and waveguide\$1
118	BRS	S124	77	S123 and (sink\$3 heatsink\$3)
119	BRS	S125	50	S124 not S120
120	BRS	S126	10	S125 and (submount\$4 sub adj1 mount\$4)
121	BRS	S127	40	S125 not S126
122	BRS	S128	24	S127 and (transist\$4)
123	BRS	S129	60	S119 not S120
124	BRS	S130	122	S122 and (pd\$1 photodetect\$4 photodiod\$2 detect\$4) near12 (led\$1 ld\$1 laser\$1 laserdiod\$2 emit\$4) and (wir\$4 leads lines) near7 elect\$5 same (submount\$4 mount\$5)
125	BRS	S131	56	S130 not (S128 S129 S125 S120)

	DBs	Time Stamp
106	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 12:50
107	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 13:04
108	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 13:04
109	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 13:05
110	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 13:06
111	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 13:06
112	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 13:07
113	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 13:07
114	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 13:07
115	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 13:07
116	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 13:07
117	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 13:09
118	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 13:07
119	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 13:07
120	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 13:07
121	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 13:07
122	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 13:07
123	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 13:07
124	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 13:07
125	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 13:07

	Type	Ref #	Hits	Search Text
126	BRS	S132	33	S79 and ((wir\$4 lead\$1 pins) near7 electric\$4 near7 (mount\$4 submount\$2))
127	BRS	S133	31	S132 not (S129 S128 S125 S120 S131)
128	BRS	S134	1	S133 and waveguide\$1
129	BRS	S135	1	10/811599
130	BRS	S136	1	S135 and (chok\$3)
131	BRS	S137	2	S81 and (LD laser) same (p\$1 electrode\$1)
132	BRS	S138	2	S81 and (LD laser) near14 (p\$1 electrode\$1 anod\$2 cathod\$2 positiv\$2 negativ\$2)
133	BRS	S139	1	S135 and (mount\$4 submount\$4) with (ceram\$4 silic\$5 ain)
134	BRS	S140	1	S135 and (mount\$4 submount\$4) same (ceram\$4 silic\$5 AlN)
135	BRS	S141	30582	(mount\$4 submount\$4) near14 (ceram\$4 AlN)
136	BRS	S142	9	(S78 S97 S100) and (ceram\$4 near12 AlN)
137	BRS	S143	6	S142 and (submount4 mount\$4 pakag\$3) same (ceram\$4 near12 AlN)
138	BRS	S144	3	S142 not S143
139	BRS	S145	33	(sub adj1 mount\$3 submount\$4) near7 (ceramic\$1) and (ceramic near12 AlN)
140	BRS	S147	1	S146 and (radio rf) near7 (laser ld)
141	BRS	S146	16	S145 and stem
142	BRS	S148	0	S81 and (di dy) same (pd ld)
143	BRS	S149	2	S81 and (die\$2 dy solder\$3) same (pd ld)

	DBs	Time Stamp
126	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 13:07
127	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 13:07
128	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 13:09
129	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 13:41
130	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 13:45
131	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 13:48
132	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 13:58
133	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 13:59
134	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 14:05
135	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 14:10
136	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 14:13
137	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 14:18
138	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 14:21
139	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 14:23
140	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 14:24
141	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 14:42
142	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 14:43
143	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/01/17 14:43